

EU DECLARATION OF CONFORMITY

We : Schneider Electric Industries SAS
35 rue Joseph Monier
Rueil Malmaison 92506 – France

Hereby declare under our own responsibility that the products:

Trademark	Pro-face by Schneider Electric
Product, Type	Human Machine Interface GP4000 Series: PFXGP4201TAD, PFXGP4201TADW, PFXGP4203TAD, PFXGP4301TAD, PFXGP4303TAD, PFXGP4301TADW, PFXGP4401TAD, PFXGP4401WADW, PFXGP4501TAD, PFXGP4501TMD, PFXGP4503TAD, PFXGP4501TADW PFXGP4521TAA, PFXGP4521TAD PFXGP4601TAD, PFXGP4601TMD, PFXGP4603TAD, PFXGP4501TAA, PFXGP4501TMA, PFXGP4601TAA, PFXGP4601TMA, PFXGP4621TAA, PFXGP4621TAD GP4000M Series: PFXGM4201TAD, PFXGM4301TAD, PFXGM4B01D PFXXM4200TP, PFXXM4300TP GP4100 Series: PFXGP4114T*D, PFXGP4115T*D, PFXGP4116T*D, GP4104*1D, GP4105*1D, GP4106*1D, GP4107*1D *any alphanumeric characters Pro-face IoT Gateway PFXGP4G01D Includes models with additional alphanumeric characters at the end of the model number.
List of reference and options	See next pages

Are in conformity with the requirements of the following directives and conformity was checked in accordance with the following standards.

Directive	Harmonized standard / Notified body reference
EMC Directive 2014/30/EU	EN61131-2:2007
LV Directive 2014/35/EU	Input 100-240Vac model EN 61010-2-201:2013

Subject to correct installation, maintenance and use conforming to its intended purpose, to the applicable regulations and standards, to the supplier's instructions and to accepted rules of the art.

This declaration becomes invalid in the case of any modification to the products not authorized by us.

Compliance with the EMC Directives will require the application of EMC guide giving requirements, details and advices for installation of products used.

The guides are available on www.pro-face.com

Issued at:

Schneider Electric Japan Holdings Ltd.
JP-541-0041 Osaka
August 19th, 2020

Authorised Signatory (*):

Name: Hakim GRIB
Digital Plant – Certification Director
Signature:



(*) Name and title of the signatory empowered to bind the manufacturer or his authorized representative

EU DECLARATION OF CONFORMITY

GP4000 Seires

Digit	1	2	3	4	5	6	7	8	9	10	11	12	13
	P	F	X	model		series	size	interface		LCD	touch panel	power supply	type
				GP		4	2: 3.5" 3: 5.7" 4: 7"/7.5" 5: 10.4" 6: 12.1"	01: Normal 03: RS-485 (Iso) 21: Video unit		T: TFT W: Wide TFT	A: Analog M: Multi	D: 24Vdc A: 100-240Vac	W: Limited C: Coating WC: Limited & Coating R: Rear mount

GP4000M Seires

Digit	1	2	3	4	5	6	7	8	9	10	11	12
	P	F	X	model		series	size	interface		LCD	touch panel	power supply
				GM		4	2: 3.5" 3: 5.7"	01: Normal		T: TFT	A: Analog	D: 24Vdc

GP4100 Color Seires

Digit	1	2	3	4	5	6	7	8	9	10	11	12
	P	F	X	model		series	size	interface		LCD	revision no.	power supply
				GP		41	1: 4.3"	4: Ethernet 5: RS-232C 6: RS-422/485		T: TFT	1: Supported by BLUE 2: Supported by BLUE and GP-Pro EX 3: Back up memory	D: 12-24Vdc

GP4100 Seires

Digit	1	2	3	4	5	6	7	8
	model		series		interface		LCD	
	GP		41		4: Ethernet 5: RS-232C 6: RS-422/485 7: RS-485(Iso)		G: STN Green/Orange/Red W: STN White/Pink/Red	
							1	
							-	
							power supply	
							D: 24Vdc	



EU DECLARATION OF CONFORMITY

Accessories for GP4000 Series

Product Number	Product Name
CA3-CBL232/5M-01	RS-232C Cable (5m)
CA3-CBL422/5M-01	RS-422 Cable (5m)
CA3-CBLLNKM-01	Mitsubishi PLC Q-Series Link Cable (5m)
CA3-CBLSYS-01	Omron PLC SYSMAC Link Cable (5m)
CA3-CBLA-01	Mitsubishi PLC A-Series Connection Cable (5m)
CA3-CBLQ-01	Mitsubishi PLC Q-Series Connection Cable (5m)
CA3-CBLFX/1M-01 (1m) CA3-CBLFX/5M-01 (5m)	Mitsubishi PLC FX-Series Connection Cable
CA3-CBL422-01	RS-422 Cable (5m)
CA3-MDCB11 PFXZCBCBMD1	2 Port Adapter Cable (5m)
GP070-MD11	Mitsubishi PLC A, QnA, FX Series 2 Port Adapter II
CA3-ADPTRM-01	Terminal Block Conversion Adapter
PFXZCBADTM1	RS-422 Terminal Block Conversion Adapter
CA3-ADPCOM-01	COM Port Conversion Adapter
CA3-CBLMLT-01 PFXZCBCBML1	Multi-Link Cable (5m)
CA3-CBLCBT232-01	9-pin-to-25-pin RS-232C Conversion Cable (0.2 m)
PFXZCBCBCVR41	RS-422 9/25-pin Conversion Cable (0.2 m)
CA6-CBLTTY/5M-01	Siemens TTY Converter Cable (5m)
ST03-A2B-MPI21-PFE CA3-MPI-PG1-PFE CA3-MPI-PGN-PFE	MPI Cable (3.5m)
CA3-ISO232-01	RS-232C Isolation Unit
CA3-USBCB-01	USB Transfer Cable (2 m)
FP-US00	USB Cable (5 m)
CA5-USBEXT-01	USB Front Cable (1 m)
CA6-USB232-01	USB-Serial (RS-232C) Conversion Cable (0.5 m)
PFXZCBCBCVUSR41	USB/RS-422/485 Conversion Adapter
PFXZCCEUSG1	EZ Illuminated Switch
PFXZCCEUSS1	EZ Fingerprint Recognition Unit
PFXZCCEUKB1	EZ Numpad
PFXZCETWHA1	EZ Tower Light tube mounting with fixing plate
PFXZCETWW1	EZ Tower Light with base mounting
ZC9USCBMB1	USB Transfer Cable (USB Type A/mini-B) (1.8 m)
ZC9USEXMB1	USB Panelmount Extension Cable (USB mini-B) (1 m)
ZC9USCLMB1	USB Clamp mini-B (1 port)
PFXZCBSD4GC41	SD Memory Card (4 GB)
CA7-DFS12-01	12.1-inch Screen Protection Sheet
PFXZCBDS101	10.4-inch Screen Protection Sheet
PFXZCBDS71	7.5-inch Screen Protection Sheet
PFXZCBDS72	7.0-inch Wide Screen Protection Sheet
PFXZCBDS61	5.7-inch Screen Protection Sheet
CA6-DFS4-01	3.5-inch Screen Protection Sheet
PFXZCBOP121	12.1-inch Environment Cover
PFXZCBOP101	10.4-inch Environment Cover
PFXZCBOP71	7.0/7.5-inch Environment Cover
PFXZCBOP61	5.7-inch Environment Cover
PFXZCBOP41	3.5-inch Environment Cover
GP3000-VM01	VM Unit
GP3000-RGB201	RGB Input Unit



EU DECLARATION OF CONFORMITY

Accessories for GP4000M Series

Product Number	Product Name
CA3-CBL232/5M-01	RS-232C Cable (5m)
CA3-CBL422/5M-01	RS-422 Cable (5m)
CA3-CBLLNKM-01	Mitsubishi PLC Q-Series Link Cable (5m)
CA3-CBLSYS-01	Omron PLC SYSMAC Link Cable (5m)
CA3-CBLA-01	Mitsubishi PLC A-Series Connection Cable (5m)
CA3-CBLQ-01	Mitsubishi PLC Q-Series Connection Cable (5m)
CA3-CBLFX/1M-01 (1m) CA3-CBLFX/5M-01 (5m)	Mitsubishi PLC FX-Series Connection Cable
CA3-CBL422-01	RS-422 Cable (5m)
CA3-MDCB11	2 Port Adapter Cable (5m)
GP070-MD11	Mitsubishi PLC A, QnA, FX Series 2 Port Adapter II
CA3-ADPTRM-01	Terminal Block Conversion Adapter
CA3-ADPCOM-01	COM Port Conversion Adapter
CA3-CBLMLT-01	Multi-Link Cable (5m)
CA3-CBLCBT232-01	9-pin-to-25-pin RS-232C Conversion Cable (0.2 m)
CA3-CBLCBT422-01	9-pin-to-25-pin RS-422 Conversion Cable (0.2 m)
ST03-A2B-MPI21-PFE	MPI Cable (3.5m)
CA5-USBEXT-01	USB Front Cable (1 m)
CA6-USB232-01	USB-Serial (RS-232C) Conversion Cable (0.5 m)
ZC9USCBMB1	USB Transfer Cable (USB Type A/mini-B) (1.8 m)
ZC9USEXMB1	USB Panelmount Extension Cable (USB mini-B) (1 m)
PFXZCBCBCVUSR41	USB/RS-422/485 Conversion Adapter
PFXZCCEUSG1	EZ Illuminated Switch
PFXZCCEUSS1	EZ Fingerprint Recognition Unit
PFXZCETWHA1	EZ Tower Light tube mounting with fixing plate
PFXZCETWW1	EZ Tower Light with base mounting
PFXZCCEUKB1	EZ Numpad
CA6-DFS4-01	3.5-inch Screen Protection Sheet
PFXZCBDS61	5.7-inch Screen Protection Sheet
PFXXM4200TP	3.5 inch display module
PFXXM4300TP	5.7 inch display module
PFXZXMADSM31	Display module/Rear module separation cable (3m)
PFXZXMADSM51	Display module/Rear module separation cable (5m)
PFXZXMADSA1	Rear module installation adapter

Accessories for GP4100 Series Color

Product Number	Product Name
CA5-USBEXT-01	USB Front Cable (1 m)
CA6-USB232-01	USB-Serial (RS-232C) Conversion Cable (0.5 m)
ZC9USCBMB1	USB Transfer Cable (USB Type A/mini-B) (1.8 m)
ZC9USEXMB1	USB Panelmount Extension Cable (USB mini-B) (1 m)
PFXZCBCBCVUSR41	USB/RS-422/485 Conversion Adapter
PFXZCCEUSG1	EZ Illuminated Switch
PFXZCCEUSS1	EZ Fingerprint Recognition Unit
PFXZCETWHA1	EZ Tower Light tube mounting with fixing plate
PFXZCETWW1	EZ Tower Light with base mounting
PFXZCCEUKB1	EZ Numpad
ZC9USCBMB1	USB Transfer Cable (USB Type A/mini-B) (1.8 m)
ZC9USEXMB1	USB Panelmount Extension Cable (USB mini-B) (1 m)
ZC9USCLMB1	USB Clamp mini-B (1 port)
PFXZCFUV43	UV Protection Sheet
PFXZCFAD31	Panel Cutout Adapter
PFXZGPRTC1	RTC Battery Set
PFXZGEBT1	Battery for Data Backup



EU DECLARATION OF CONFORMITY

Accessories for GP4100 Series

Product Number	Product Name
ZC9CBA51	Mitsubishi PLC A-Series Cable (5 m)
ZC9CBQ31	Mitsubishi PLC Q-Series CPU I/F Cable (3 m)
ZC9CBFX11	Mitsubishi PLC FX-Series CPU I/F Cable (1 m)
ZC9CBFX51	Mitsubishi PLC FX-Series CPU I/F Cable (5 m)
ZC9CBFP21	Panasonic Electric Works PLC FP Series CPU Cable (2 m)
CA3-MPI-PG1-PFE CA3-MPI-PGN-PFE	MPI Cable (3.5m)
CA5-USBEXT-01	USB Front Cable (1 m)
CA6-USB232-01	USB-Serial (RS-232C) Conversion Cable (0.5 m)
ZC9USCBMB1	USB Transfer Cable (USB Type A/mini-B) (1.8 m)
ZC9USEXMB1	USB Panelmount Extension Cable (USB mini-B) (1 m)
ZC9DS31	3.4-inch Screen Protection Sheet

Relevant documents

Reference	Designation
GP4100-MM01-ENG-PDF	GP-4100 Series Hardware Manual
GP42/43TM-MM01-ENG-PDF	GP-4201TM/4301TM/4000M Hardware Manual
GP4000-MM01-ENG-PDF	GP-4000 Series Hardware Manual (for GP-Pro EX)
GP4000-BLUE-MM01-EN-PDF	GP-4000 Series Hardware Manual (for BLUE)
-	GP-4100 Series Color Model Hardware Manual
GP410X-MT13-BTH	GP-4100 Series Installation Guide
NVE32340	GP4000 Series Installation Guide
-	GP-4201TM/4301TM Installation Guide
EAV16159	GP4000 Series Rear Mount Model Installation Guide
EAV98583	Display Module/Rear Module Separation Cable Installation Guide
NHA87720	GP-4100 Series Color Model Installation Guide
NHA94937	Panel Cutout Adapter Installation Guide
PFXZCBOP-MT01-CP	Environment Cover Installation Guide

You can download the manuals related to this product, such as the software manual, from our website "Otasuke Pro" at www.pro-face.com/otasuke/

End