

NRAQ7.E220851 - Programmable Controllers Certified for Canada

Programmable Controllers Certified for Canada

SCHNEIDER ELECTRIC JAPAN HOLDINGS LTD.

2-15-6, SHIBAURA

MINATO-KU, TOKYO 108-0023 Japan

E220851

Investigated to CAN/CSA C22.2 No. 142

Accessories, 12" LCD front display + keypad units Model(s) 3620003-04

Accessories, 12" LCD front display units Model(s) 3620003-01

Accessories, 15" LCD front display + keypad units Model(s) 3620003-05

Accessories, 15" LCD front display units Model(s) 3620003-02

Accessories, 19" LCD front display units Model(s) 3620003-03

Accessory Box Unit Model(s) PFXSP5B10 May be followed by any letter(s) and/or number(s)

Accessory Box Unit Model(s) PFXSP5B10#

Accessory Box Unit Model(s) PFXSP5B40 May be followed by any letter(s) and/or number(s)

Accessory Box Unit Model(s) PFXSP5B40#

Accessory CANOpen Slave Unit, open type Model(s) PFXZCDEUCA1 May be followed by any letter(s) and/or number(s)

Accessory CANOpen Slave Unit, open type Model(s) PFXZCDEUCA1#

Accessory Multi Display Adapter, open type Model(s) PFXZCDADEXR1 May be followed by any letter(s) and/or number(s)

Accessory Multi Display Adapter, open type Model(s) PFXZCDADEXR1#

Accessory Box Unit Model(s) HMIG3U , may be followed by any letter(s) and/or number(s).

Accessory Box Unit Model(s) HMIG5U , may be followed by any letter(s) and/or number(s).

Accessory CANOpen Slave Unit Model(s) HMIGCAN , may be followed by any letter(s) and/or number(s).

Accessory CANOpen units Model(s) 3610007-01

Accessory conversion adapters, open-type Model(s) PFXZCBCBCVUSR41

Accessory Enclosure Kits Model(s) HMIZECOV1, HMIZECOV2, HMIZECOV4, HMIZECOV5, HMIZECOV6

Accessory enclosure kits Model(s) PFXZCBOP101, PFXZCBOP121, PFXZCBOP41, PFXZCBOP61, PFXZCBOP71, PFXZCDCVUS1

Accessory Environment Cover Model(s) HMIZDCOV5, HMIZDCOV6, HMIZDCOV7

Accessory Multi Display Adaptor Model(s) HMIZMDARX , may be followed by any letter(s) and/or number(s).

Accessory Open type Environment Covers Model(s) PFXZCDOP101, PFXZCDOP121, PFXZCDOP151

Accessory Profibus Unit Model(s) HMIZGPDP , may be followed by any letter(s) and/or number(s).

Accessory Profibus Unit, open type, Model(s) PFXZCDEUPF1 May be followed by any letter(s) and/or number(s)

Accessory Profibus Unit, open type, Model(s) PFXZCDEUPF1#

Accessory, CANOpen Unit Model(s) XBTZGCCAN

Adapter Model(s) XBTGH2460, XBTGH2460B, XBTZGJBOX

Adapters Model(s) 3610006-01, 3610006-02

Analog I/O modules Model(s) EXM-AMM6HT

Analog input modules Model(s) EXM-AMI4LT, EXM-ARI8LT, EXM-AVO2HT

Box computers Model(s) 3681601-01, 3681601-03, 3681601-11, 3681601-12, 3681601-13

Built-in computers, open type Model(s) 3582302-01, 3582302-11

CAN Unit Model(s) XBTZGCAN

CAN units Model(s) 3710014-01

CC-link interface units Model(s) 3680301

Color graphic panel displays Model(s) 3280024-02, 3280024-04, 3280024-06, 3280024-12, 3280024-14, 3280024-16, 3280024-22, 3280024-24, 3280035-01, 3280035-02, 3280035-11, 3280035-12, 3280035-31, 3280035-41, 3280035-51, 3280035-71, 3384001-12, 3482001-41, 3482001-42, 3482001-45, 3482001-51, 3482001-52, 3482001-55, 3482001-61, 3482001-65, 3482001-75, 3581301-02, 3581301-04, 3910018-01

Color graphic panels Model(s) 3280007-01, 3280007-02, 3280007-11, 3280007-12, 3280007-21, 3280007-22, 3410004-01, 3481701-22, 3481701-33

Compact iPCs-P4 Model(s) 3180046-xx

Compact iPCs-Via Eden Model(s) 3280015-xx

Compact iPCs-Via Eden Slim Type Model(s) 3280022-xx

Controllers Model(s) 3180048-01, 3180048-02

Data converters Model(s) 3080034-01

DC Power Supply Adapter, open type Model(s) PFXZCDAEXP1 May be followed by any letter(s) and/or number(s)

DC Power Supply Adapter, open type Model(s) PFXZCDAEXP1#

DC Power Supply Adaptor Model(s) HMIZMDAEX , may be followed by any letter(s) and/or number(s).

DeviceNet interface units Model(s) 3580801

Display units Model(s) 3180040-01

Enclosed type, Pendant Graphic Panel Model(s) PFXGP4311HTAD may be followed by any one to three letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel Model(s) PFXGP4311HTADEGK may be followed by any one to three letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel Model(s) PFXGP4311HTADER may be followed by any one to three letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel Model(s) PFXGP4311HTADERK may be followed by any one to three letter(s) and/or number(s)

Enclosed type, Pendant Graphic Panel Model(s) PFXGP4311HTADEYK may be followed by any one to three letter(s) and/or number(s)

Flat Panel display Model(s) HMIDID7DT0

Flat panel displays Model(s) 3580403-02, 3580404-02, 3580406-01, 3580406-11, 3582701-01

Flat panel displays with keypads, open-type Model(s) 3620004-01

Flat Panel Interface Model(s) HMIDID64DTD1 , may be followed by any letter(s) and/or number(s).

Flat Panel Interface Model(s) HMIDID73DTD1 , may be followed by any letter(s) and/or number(s).

Flat Panel Interface Model(s) PFXFP5600TPD May be followed by any letter(s) and/or number(s)

Flat Panel Interface Model(s) PFXFP5660TPD May be followed by any letter(s) and/or number(s)

Flat Panel Interface Model(s) PFXFP5700TPD May be followed by any letter(s) and/or number(s)

Flex network I/O units Model(s) 3080039-01, 3080039-02, 3080039-03, 3080057-01, 3080057-02, 3380701-01, 3380701-02

GP4200 Series graphic displays Model(s) PFXGP4201TAD*, PFXGP4201TADW*, PFXGP4203TAD*

GP4300 Series graphic displays Model(s) PFXGP4301TAD*, PFXGP4301TADR*, PFXGP4301TADS*, PFXGP4301TADW*, PFXGP4303TAD*

GP4400 Series graphic displays Model(s) PFXGP4401TAD*, PFXGP4401TADR*, PFXGP4401WADW*

GP4500 Series graphic displays Model(s) PFXGP4501TAA*, PFXGP4501TAD*, PFXGP4501TADR*, PFXGP4501TADS*, PFXGP4501TADW*, PFXGP4501TMA*, PFXGP4501TMD*, PFXGP4503TAD*

GP4600 Series graphic displays Model(s) HMIGTO1300, HMIGTO1310, HMIGTO2300, HMIGTO2310, HMIGTO2315, HMIGTO3510, HMIGTO4310, HMIGTO5310, HMIGTO5315, HMIGTO6310, HMIGTO6315, PFXGP4601TAA*, PFXGP4601TAD*, PFXGP4601TADR*, PFXGP4601TADS*, PFXGP4601TMA*, PFXGP4601TMD*, PFXGP4603TAD*

Graphic Display Model(s) XBTGC2330T, XBTGC2330U

Graphic display panels Model(s) 3180053-01, 3180053-02, 3180053-03, 3180053-04, 3180054-02, 3180054-03, 3180054-04, 3180054-05, 3383102-01, 3480301-01

Graphic displays Model(s) 3481401-01, 3481401-02, 3580205-01, 3580205-02, 3580205-03, 3580205-04, 3580207-01, 3580207-02, 3580208-02, 3583401-01, 3583401-02, 3583401-03, 3583401-04, 3583401-11, 3583401-12, 3583401-13, 3583401-14, 3680701-01, 3680701-02, 3680701-03, 3710010-01, 3710010-02

Graphic Panel Model(s) HMISTO501, HMISTO511, HMISTO512, HMISTO531, HMISTO532, XBTGT2930

Graphic panels Model(s) 3580206-01, 3710015-01, 3910017-01, 3910017-02, 3910017-03, 3910017-04, 3910017-05, 3910017-06, 3910017-07, 3910017-08, 3910017-11, 3910017-12

Illuminated switch units Model(s) PFXZCCEUSG1, PFXZCCEUSG1 and HMIZRA1

Monochrome graphic panels Model(s) 3280007-03, 3280007-04, 3280007-13, 3280007-14, 3280007-23, 3280007-24, 3280024-32, 3280024-34, 3481701-11, 3481701-12, 3481701-13

Numpad unit Model(s) PFXZCCEUKB1, PFXZCCEUKB1 and HMIZKB1

Open type, Adapter, Model(s) AGP3000H-ADPCOM1

Panel computers Model(s) 3480801--14, 3480801-01, 3480801-02, 3480801-03, 3480801-04, 3480801-11, 3480801-12, 3480801-13, 3480901-01, 3480901-02, 3480901-03, 3480901-04, 3480901-05, 3480901-06, 3480901-07, 3480901-08, 3580301-01, 3580301-02, 3580301-03, 3580301-11, 3580301-12, 3580301-13, 3581702-01, 3581702-03, 3581702-11, 3581702-12, 3581702-13, 3920019-01

Panel Display Model(s) XBTGT2430

Panel displays Model(s) 3710011-01, 3710011-02

Pendant graphic panels Model(s) 3610005-01, 3610005-02, 3610005-03

Profibus Interface Board Model(s) XBTZGPDP

Profibus interface boards, open type Model(s) 3383202

Programmable Controllers "Accessories, extension communication cables" Model(s) HMI-ZSURDP may be followed by 5

Programmable Controllers "Communication cables" Model(s) HMIZ followed by 3 to 5 letters and digits, XBTZ followed by 3 to 5 letters and digits.

Programmable Controllers "Small Terminal Series Magelis" Model(s) BCPMRD may be followed by three alphanumeric digits

Programmable Controllers "Small Terminal Series Magelis" Model(s) HMI followed by -STU655, -STU855, -S65, -S85 or -S5T, may be followed by a three-digit number

Programmable Controllers "Small Terminal Series Magelis" Model(s) LV434128 may be followed by three alphanumeric digits.

Programmable Controllers "Small Terminal Series Magelis" Model(s) M765RD may be followed by three alphanumeric digits.

Programmable Controllers "Small Terminal Series Magelis" Model(s) S765RD may be followed by three alphanumeric digits

Programmable Controllers Model(s) 4230020 followed by -01 to -12

Programmable Controllers Model(s) HMI may be followed by -SCU6A5, -SCU8A5, -SCU6B5, -SCU8B5, -SAC and -SBC, may be followed by a three-digit number.

Programmable Controllers Model(s) PFXGM4201TAD, PFXGM4301TAD, PFXGM4B01D, PFXLM4201TADAC, PFXLM4201TADAK, PFXLM4201TADDC, PFXLM4201TADDK, PFXLM4301TADAC, PFXLM4301TADAK, PFXLM4301TADDC, PFXLM4301TADDK, PFXLM4B01DAC, PFXLM4B01DAK, PFXLM4B01DDC, PFXLM4B01DDK, PFXXM4200TP, PFXXM4300TP, PFXZXMADSM31, PFXZXMADSM51

Programmable indicators, open type Model(s) 3581902-12, 3581902-33, 3581902-51

Video mix units Model(s) 3610001, 3710008-01, 3710013-01

Investigated to CAN/CSA C22.2 No. 61010-1, 3rd Edition and CAN/CSA C22.2 No. 61010-2-201:14

Open type Box PC and Partial enclosure Display Model(s) HMIBMOxxxxxxxxxxxxx The x can be any alphanumeric character, "-" or blank.

Open type Box PC and Partial enclosure Display Model(s) HMIBMPxxxxxxxxxxxxx The x can be any alphanumeric character, "-" or blank.

Open type Box PC and Partial enclosure Display Model(s) HMIBMUxxxxxxxxxxxxx The x can be any alphanumeric character, "-" or blank.

Open type Box PC and Partial enclosure Display Model(s) HMIPCC2axxbxxxxxxx The a can be B, 6, D, 7 or J. The b can be A or D. The x can be any alphanumeric character, "-" or blank.

Open type Box PC and Partial enclosure Display Model(s) HMIPCCP2axxbxxxxxxx The a can be B, 6, D, 7 or J. The b can be A or D. The x can be any alphanumeric character, "-" or blank.

Open type Box PC and Partial enclosure Display Model(s) HMIPCCU2axxbxxxxxxx The a can be B, 6, D, 7 or J. The b can be A or D. The x can be any alphanumeric character, "-" or blank.

Open type Box PC and Partial enclosure Display Model(s) PFXPL2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

Open type Box PC and Partial enclosure Display Model(s) PFXPP2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

Open type Box PC and Partial enclosure Display Model(s) PFXPU2axxbxxxxxxx refers to where The a can be B, 6, D, 7 or J, The b can be A or D, The x can be any alphanumeric character, - or blank

Open type Box PC and Partial enclosure Display Model(s) TM901BMPxxxxxxx The x can be any alphanumeric character, "-" or blank.

Open type, Programmable controllers Model(s) HMIDADP11xxxxxxx Where "x" can be any character, or blank, or "-" for marketing purpose and no impact safety related critical components and constructions.

Open type, Programmable controllers Model(s) HMIPCCA2xxxAXxxxxxx Where "x" can be any character, or blank, or "-" for marketing purpose and no impact safety related critical components and constructions.

Open type, Programmable controllers Model(s) HMIPCCA2xxxDXxxxxxx Where "x" can be any character, or blank, or "-" for marketing purpose and no impact safety related critical components and constructions.

Open type, Programmable controllers Model(s) PFXPA2xxxAXxxxxxx Where "x" can be any character, or blank, or "-" for marketing purpose and no impact safety related critical components and constructions.

Open type, Programmable controllers Model(s) PFXPA2xxxDXxxxxxx Where "x" can be any character, or blank, or "-" for marketing purpose and no impact safety related critical components and constructions.

Open type, Programmable controllers Model(s) PFXZPPDADDP2xxxxx Where "x" can be any character, or blank, or "-" for marketing purpose and no impact safety related critical components and constructions.

Programmable Controllers Model(s) HMIST6200# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMIST6400# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMIST6500# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMIST6600# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMIST6700# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMISTW6200# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMISTW6400# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMISTW6500# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMISTW6600# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) HMISTW6700# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXST6200WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXST6400WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXST6500WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXST6600WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXST6700WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXSTW6200WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXSTW6400WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXSTW6500WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXSTW6600WAD# #: May be followed by one to three alphanumeric characters

Programmable Controllers Model(s) PFXSTW6700WAD# #: May be followed by one to three alphanumeric characters

Investigated to CAN/CSA C22.2 No. 61010-1, 3rd Edition and CAN/CSA C22.2 No. 61010-2-201:18

Accessory Box Unit Model(s) HMIG2U# # - Any letter(s) and/or number(s) or blank

Accessory Box Unit Model(s) HMIG5U2# # - Any letter(s) and/or number(s) or blank

Accessory Box Unit Model(s) PFXSP5B00# # - Any letter(s) and/or number(s) or blank

Accessory Box Unit Model(s) PFXSP5B41# # - Any letter(s) and/or number(s) or blank

Accessory CANopen Master unit Model(s) PFXZCHEUCAM1# # - Any letter(s) and/or number(s) or blank

Accessory FLEX NETWORK Master Unit Model(s) PFXZCHEUFN1#

Human Machine Interface Model(s) HMIDT351# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT542# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT551# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT642# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT643# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT651# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT732# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT752# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) HMIDT952# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5400WAD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5500TPD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5500WAD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5600TAD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5600TPD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5600TPDR# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5600WAD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5660TPD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5700TPD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5700WCD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface Model(s) PFXSP5800WCD# # - Any letter(s) and/or number(s) or blank

Human Machine Interface, GP4100 series Model(s) HMISTO705# #- may be followed by any one to three letter(s) and/or number(s)

Human Machine Interface, GP4100 series Model(s) HMISTO715# #- may be followed by any one to three letter(s) and/or number(s)

Human Machine Interface, GP4100 series Model(s) HMISTO735# #- may be followed by any one to three letter(s) and/or number(s)

Industrial Controller , Box type Model(s) Box type, Advanced type, model PFXP6 or HMIP6 followed by 5, 7 or C, followed by B, followed by A or D, followed by E, M, P or O, followed by F or N (Note\$), followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note \$ - Should be followed by F for models with HDD for Storage and/or with Accessory Optional Interface for EtherCAT, Note @ ; Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller , Box type Model(s) Box type, Standard type, model PFXP6 or HMIP6 followed by 3, followed by B, followed by 1 or 2, followed by 0, followed by N, followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note @ ; Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller , Panel type Model(s) Panel type, Advanced type, model PFXP6 or HMIP6 followed by 5, 7 or C, followed by 6, 7, E, F, G, A followed by A or D, followed by E, M, P or O, followed by F or N (Note\$), followed by one digit number of 0 to 8, followed by one digit number of 5 through 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note \$ - Should be followed by F for models with HDD for Storage and/or with Accessory Optional Interface for EtherCAT, Note @ ; Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Industrial Controller , Panel type Model(s) Panel type, Standard type, model PFXP6 or HMIP6 followed by 3, followed by 6, 7, D, E, F, G, A, followed by 1 or 2, followed by 0, followed by N, followed by one digit number of 0 to 8, followed by one digit number of 5 to 8 or 0, followed by @, followed by B, C, D, E, F, G or N, followed by @, followed by # Note @ ; Any alphanumeric, # - Any letter(s) and/or number(s) or Blank

Open type, Programmable controllers Model(s) PFXGP4521TAD#

Programmable Controllers "Schneider or Proface" Model(s) HMISTM62# or PFXSTM62TP# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers "Schneider or Proface" Model(s) HMISTM6200# or PFXSTM6200WAD#

Programmable Controllers "Schneider or Proface" Model(s) HMISTM64# or PFXSTM64TP# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers "Schneider or Proface" Model(s) HMISTM6400# or PFXSTM6400WAD#

Programmable Controllers "Schneider or Proface" Model(s) HMISTM6B# or PFXSTM6B# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers "Schneider or Proface" Model(s) HMISTM6BOX# or PFXSTM6B00D# #: Maybe followed by one to three alphanumeric characters

Programmable Controllers "Schneider or Proface" Model(s) HMIZM6DSA# or PFXZCM6DSA#, HMIZM6RDP10# or PFXZCM6SM10#, HMIZM6RDP3# or PFXZCM6SM3#, HMIZM6RDP5# or PFXZCM6SM5#, HMIZS51W2# or PFXZCIWG44#, HMIZS53W2# or PFXZCIWG74#

Programmable Controllers Model(s) HMIDM6500WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIDM6600TM# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIDM6600WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIDM6700TM# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIDM6700WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIDM6800WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIDM6900WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIDT35X# # - Any letter(s) and/or number(s) or blank

Programmable Controllers Model(s) HMIDT65X# # - Any letter(s) and/or number(s) or blank

Programmable Controllers Model(s) HMIDT75X# # - Any letter(s) and/or number(s) or blank

Programmable Controllers Model(s) HMIFP6500WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIFP6600TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIFP6600WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIFP6700TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIFP6700WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIFP6800WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) HMIFP6900WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXDM6500WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXDM6600TM# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXDM6600WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXDM6700TM# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXDM6700WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXDM6800WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXDM6900WC# # ; Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXFP6500WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXFP6600TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXFP6600WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXFP6700TMD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXFP6700WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXFP6800WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXFP6900WCD# Note # - Any letter(s) and/or number(s) or Blank

Programmable Controllers Model(s) PFXSP5490WAD# # - Any letter(s) and/or number(s) or blank

Programmable Controllers Model(s) PFXSP5690WAD# # - Any letter(s) and/or number(s) or blank

Programmable Controllers Model(s) PFXSP5790WAD# # - Any letter(s) and/or number(s) or blank

Series Human Machine Interface Model(s) HMIGK2310# # - w/wo any one to three letter(s) and/or number(s).

Series Human Machine Interface Model(s) HMIGK5310# # - w/wo any one to three letter(s) and/or number(s).

Investigated to CAN/CSA-C22.2 No.61010-1 and CAN/CSA-C22.2 No.61010-2-201**Open type, EZ LAN Adapter** Model(s) PFXZCGEUUE1**Open type, IoT Gateway Unit** Model(s) PFXGP4G01D**Open type, Programmable controllers** Model(s) HMIGXU3500#, HMIGXU3512#, HMIGXU5500#, HMIGXU5512#, PFXGP4114T*D#, PFXGP4115T*D#, PFXGP4116T*D#, PFXGP4311KTAD#, PFXGP4402WADW#, PFXGP4502WADW#, PFXGP4511KTAD#, PFXGP4521TAA#, PFXGP4621TAA#, PFXGP4621TAD#, PFXPP2(%), PFXPU2(%)**Pendant Graphic Panel** Model(s) PFXGP4311HTAD#, PFXGP4311HTADEGK#, PFXGP4311HTADER#, PFXGP4311HTADERK#, PFXGP4311HTADEYK#**Open type, Programmable controllers** Model(s) HMIBMPxl74D(g)xxx Where x may be any letter or number and (g) will be any letter or number except 2.**Open type, Programmable controllers** Model(s) HMIBMPxl74D2xxx Where x may be any letter or number.**Open type, Programmable controllers** Model(s) HMIBMUxl29D(g)xxx Where x may be any letter or number and (g) will be any letter or number except 2.**Open type, Programmable controllers** Model(s) HMIBMUxl29D2xxx Where x may be any letter or number.**Open type, Programmable controllers** Model(s) HMIDADP11, HMIPCCA2 followed by 12 letters or numbers.**Open type, Programmable controllers** Model(s) HMIPCCP2x(f)xxxxxxxxx Where x may be any letter or number and (f) will be C, D, J or U.**Open type, Programmable controllers** Model(s) HMIPCCP2x(h)xxxxxxxxx Where x may be any letter or number and (h) will be any letter or number except C, D, J or U.**Open type, Programmable controllers** Model(s) HMIPCCU2x(f)xxxxxxxxx Where x may be any letter or number and (f) will be C, D, J or U.**Open type, Programmable controllers** Model(s) HMIPCCU2x(h)xxxxxxxxx Where x may be any letter or number and (h) will be any letter or number except C, D, J or U.**Programmable Controllers** Model(s) HMIG3X# # - Any letter(s) and/or number(s) or blank**Programmable Controllers** Model(s) HMIZXJ19# # - Any letter(s) and/or number(s) or blank**Programmable Controllers** Model(s) PFXSP5B90# # - Any letter(s) and/or number(s) or blank**Programmable Controllers** Model(s) PFXZCHEUJ1# # - Any letter(s) and/or number(s) or blank

- May be followed by any one to three letter(s) and/or number(s).

(%) - Model followed by 12 letters or numbers

* - May be followed by any letter or number.

xx - Where xx can be replaced by any alphanumeric character.

Trademark and/or Tradename: "E486184",     

Last Updated on 2021-04-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"