BLUE Open Studio BI Dashboard Template User Guide

Introduction

This document describes the features of the Dashboard Template application, and contains a manual the user can follow to use the application, connecting and configuring a Data Source, creating a Dashboard and its objects, and generate reports for that Dashboard.

Comments

General:

The software shall provide the necessary tools to allow a user to create a Dashboard based on the queries created.

Electronic Signatures (Security System)

The system administrator must be able to access the user account settings to create new accounts, lockout users, and de-authorize them.

Nobody (not even the System Administrator) can have access to the password of any user.

Overview and Application Layout

This section describes the Overview and Application Layout of the Dashboard Template

Header



1. Home Screen

This button opens the Home Screen of the application, where you can install the Chart Control Objects.

2. Dashboard

This button opens the Dashboard screen, where you can see the selected Dashboard.

3. Report

This button opens the Report screen, where you can create a report for the selected dashboard, save and/or print it.

4. Switch User

This button opens the Logon screen, there you can change the user connected to the application, and edit the users configured for the application.

5. License

This button opens the License popup and informs the user that: "This version of the Business Intelligence Dashboard Template requires only a license for the HMI/SCADA product running it".

6. Exit Application

This button is used to exit the application, finishing all the background tasks from Proface.

Status Bar

English	CSBSP2012000005	192.168.100.158	DB Connection Ok	System Running	Guest	v7.0

1. Language Screen

The user can open the popup to select the Application Language, and choose between 8 languages for this application.

2. Web Client

The user can access the web client for the application by clicking on the second and third buttons on the status bar (Computer name and Computer IP address).

3. Database Status

On the Database Status screen, the user can check the connection to the Databases configured for the application. The user can check if there's a connection, and if it's working or there's an error to connect to this Database.

4. System Status

The user can also check the application status, it's possible to see what task the system is running at the moment.

5. Log On

The user can use the status bar to open the Logon popup, where it's possible to switch the user connected to the application or Log Off.

Tree View



The **Tree View** is where the user can create projects with the Dashboards wanted. The user can open the tree view by clicking on the arrow button on the header. The user can click on the arrows to move the **Tree View** for the left/right side of the screen, click on the refresh button to refresh the **Tree View** and on the pin-up button to fix the tree view on the screen, so it won't close when the user open a Dashboard.

Click on the **Project** to select it, and then the user can:

- Create a New Project
- Open a Project
- Delete the selected Project

On the **Data Source**, the user can:

- Create a New Data Source
- Edit the selected Data Source
- Delete the selected Data Source

The user can select a data Source, and add queries for it. With this application the user can add queries on a Design mode, where the user can select the settings and the application will create the SQL for it, or the user can add a SQL query manually, writing the Query on the designed box.

On the **Dashboard** the user can:

- Create a new Dashboard
- Edit the select Dashboard
- Add charts for the selected Dashboard
- Edit the default settings for the Dashboard skins

Instructions for creating and configuring a project are in the Configuration Section of this manual.

Main Screen

Business Intelligence Dashboard Template

Click here to install the Chart Control objects



On the Main Screen, the user can install the **Chart Control Objects** needed to open the dashboards, and access the Proface website or send an e-mail to Proface.

Instructions for installing/uninstalling the Chart Components are in the next section.

Installing and Uninstalling Chart Components

This section describes how to Install and Uninstall the Chart Components used on the Dashboard Application.

Click on the Link at the Main Screen to start the wizard for installing/uninstalling the Chart Components

Installing the Chart Components:

1- Open the Wizard to install the Chart Components on the Main Screen of the application.



2- Click on Next, and the screen to select the Installation Folder and the users on the computer that will have the Control Components installed.

B StudioControls
Select Installation Folder
The installer will install StudioControls to the following folder.
To install in this folder, click "Next". To install to a different folder, enter it below or click "Browse".
Eolder: C:\Program Files (x86)\StudioControls\StudioControls\ Disk Cost
Install StudioControls for yourself, or for anyone who uses this computer:
© <u>E</u> veryone
Cancel < Back Next >

3- Select the Folder for the installation and click on Next, and then on Next again.

B StudioControls	
Confirm Installation	
The installer is ready to install StudioControls on your computer.	
Click "Next" to start the installation.	
Cancel < <u>B</u> ack	<u>N</u> ext >

B StudioControls	
Installing StudioControls	
StudioControls is being installed.	
Please wait	
Cancel < <u>B</u> ack	<u>N</u> ext >

4- Wait until the Control Components are installed



5- The Chart Components were installed; Click on Close to exit the Wizard. They user may need to re-open the application to start using it.

Uninstalling the Chart Components:

1- Open the Wizard, select Remove StudioControls and click on finish.



2- Wait while the StudioControls are removed.



3- If the following screen shows for the user, close the application and "Try Again" or click on "Continue" to uninstall the Control Components.

B StudioChartControls Files in Use				
The following applications are using files which the installer must remove. You can either close the applications and click "Try Again", or click "Continue" so that the installer continues the installation, and replaces these files when your system restarts.				
Viewer.exe (Process Id: 3124)				
Iry Again <u>C</u> ontinue E <u>x</u> it Installation				

4- Click on continue to finish uninstalling the Control Components

B StudioControls	
Installation Complete	5
StudioControls has been successfully removed.	
Click "Close" to exit.	
Cancel < <u>B</u> ack	Close

5- The Control Components were uninstalled; Click on Close to exit the Wizard. If the user opens the application again, it's necessary to install the Control Components before using it.

Configure User Settings

This section describes the **Configure Users System**. To open the Configure Users Screen, click on the Configure Users button in the Header. If there's no user logged on the application, the button will show as Switch User, so you need to logon before configuring the users. The configure users screen is only available for users with the security system requirements.

Configure Users Screen

On this screen you can see a list with the users configured for the application, the user selected from the list, and the user logged on the application. You can see the status for the selected user, and when the password for the logged user expires.

In Configure Users						
List	List of users current available in the system: All Users - Selected user					
ID	User Name	Group Name	User name: Guest			
1	Guest	Guest	Group name: Guest			
	2 user	User	User available			
	admin	Administrator				
	Modify Remove Password User					
	Block Create new User User					
			Current User logged on			
			User name: admin			
Group name: Administrator			Group name: Administrator			
	Password never expires					
	Switch User Close					

On the Configure User Screen, you can:

- Create a new User
- Modify Password
- Block User
- Remove User
- Switch User

Create New User

1- Click on the Create New User button to open the following screen:

8 Create User	×			
<u>U</u> ser Name:				
User <u>F</u> ull Name:				
<u>N</u> ew Password:				
<u>C</u> onfirm Password:				
Available Groups: Administrator User	Assigned Groups:			
The name cannot be used. Names may not be empty, or consist of periods and/or spaces, or contain these characters: . / '' [] : <> + = ; , ? * @				
	OK Cancel			

2- On this screen the user can input the new user settings, and select the group for the new user. After selecting the user name, password and group, click on the Ok button and the new user will be on the list.

8 Create User	X			
<u>U</u> ser Name:	Demo User			
User <u>F</u> ull Name:				
<u>N</u> ew Password:				
<u>C</u> onfirm Password:				
Available Groups:	Assigned Groups:			
Administrator				
The 'User Full Name' is an optional setting used for				
documentation purposes only.				
,				
	OK Cancel			

Modify Password

1- Click on the Modify Password button to open the following screen:

Set User Password				
<u>U</u> ser Name:	Guest			
Current Password:				
<u>N</u> ew Password:	•••			
Confirm Password:	•••			
	OK Cancel			

2- On this screen you can change the user password, give the current password and the new password, click on the Ok button and the password is changed.

Block User

1- Click on the Block/Unblock User button, and you'll see the following message:



2- When a user is blocked, you'll see his status as:



3- If you block one user, it won't be able to log on the application, until it's unblocked.

Remover User

1- Click on the Remove user button, and you'll see a message asking if you're sure about this.



2- Click on Yes, and the selected user is removed from the application.

Switch User

1- Click on Switch User, and the Log On popup opens:

📺 Log On		×
Current user:	admin	
User Name:		
Password:		
ОК	Cancel	Log Off

2- Use the Log On popup to change the user connected to the application or to Log Off the current user.

Creating and Configuring a Project

This section describes how the user can Create and configure one Dashboard project, with instructions on how to use the application to select the Data Source, create the Queries and Dashboards.

Creating a Project

Select the current project on the Tree View and click on the new button to open the following popup:

Dashboard Project -> New			×
	Create a new Dashboard Project		
Project Name: Project Demo			1
	Ok	Cancel	

The user can type the project name on the text box, or click on button on the right side of it, to open the Data entry popup. Type the New Project Name and click on the Ok button to create the project.

Remove Project

The user can click on the Remove Button on the Tree View to remove the selected project from the application. The user will receive a message to confirm if the project should be removed.

Delete	x
?	Are you sure you want to delete the Dashboard Project: 'Project Demo' ?
	<u>Y</u> es <u>N</u> o

Open Project

The user can open one existing project clicking on the Open button. A popup with the existing projects list will open, where the user can select one project to open.

Select the Project and click on Ok to open it and all its settings.

Dashboard Project -> Open	×
Select the Dashboard Project	
Project Name	
Project 1	
Project Demo	
Ok Cancel	

Create a new Datasource

After creating a project, the user can add one datasource to it, by clicking on Datasource, and then on the New button. The following popup opens, where the user can create the Connection String to the Database server.

🔳 Data Sou	irce -> New	x
	Create a new Data Source	
Data So Demo Connec	ource Name: Source	
Connec	MS Access Database SQL Server Database tion String: T=Microsoft_let_OLEDB.4.0:Persist_Security_Info=Ealse	
	Ok Cancel	

The User can type the Data Source name, and select the connection type; the user can use a MS Access Database,

or a SQL Server Database. After selecting the connection type, click on the _____ button to open the connection string screen. On the Connection String screen, the user can select the Database for the data source, and give the password to connect this Database if there's one.

For this example we'll be using the MS Access Database type, with the DBDemo database on the application folder. The user can use the Test Connection button to test if the connection to the Database is working or not. If a data source is created with an invalid connection, you can see that there's a failed connection on the Status Bar and the Database Status screen of the application.

Business Intelligence Dashboard Template

Doc. Revision 1.71

📑 Data Link Properties	🛃 Data Link Properties
Provider Connection Advanced All	Provider Connection Advanced All
Specify the following to connect to Access data: 1. Select or enter a database name: 2. Enter information to log on to the database: User name: Admin Password: Blank password Allow saving password	Specify the following to connect to SQL Server data: 1. Select or enter a server name: SBSP2012000005 Refresh 2. Enter information to log on to the server: Use Windows NT Integrated security Use a specific user name and password: User name: Password: Blank password Allow saving password 3. Select the database on the server:
Test Connection OK Cancel Help	Attach a database file as a database name: Image: Connection Image: Connection

After creating a Data source, the user can select it and click on Edit to open the screen where he can change its name, connection type and connection string.

New Table Query

Select the data source created, and click on the New button at the tree view, a popup will open where you can select the type of the Table Query you want to create. The user can select between the Design Mode, a screen where he can select the settings for the Query he wants, or the SQL Mode, a screen where the user can input the SQL Query he wants manually.



Design Mode

On the Design Mode the user can interact with the screen to create a Query from a table. Select one table from the Available Tables list, and click on the ">" button to add the table to the list for the query. The user can click on the Refresh Table List button to refresh the list of Tables from the Data source.

Table Query -> Design View	ture losses and lastitude M	×
	Create a new Design Query	
Query Name:	1	
Data Source:		
Demo Source		
Available Tables: Show Columns	Selected Tables:	Show Columns
Demo Source Tables Views	>	
Columner	Refresh Table List	
Column Aggregation Alias	Filter	
	Grouping	
	Sorting	
Add Edit Remove		Jpdate SQL Preview
	Ok	Cancel

Add Column

Click on the Add button from the Design screen to open a popup where the user can select the column he wants to show in the Query. If no column is selected, the query selects all the columns from the table.

On the Add Column popup, the user can select the column he wants to show, an aggregation for it (for example, the Sum or Avg SQL functions) and put and Alias for the column selected.

Table Query -> Design View -> Column -> New	×
Add a ne	w column
Table: Table1	
Column: Id •	Aggregation: None
Alias:	
	Ok Cancel

Add Filter to SQL Query

The user can add a filter to the SQL query by clicking on the Filter button. The following screen opens:

able Query -> D	esign View -> Filter			×				
Configure the filters for the selected query								
Logical	Column	Operator	Value					
Add	Edit Remove							
			Clos	se				
	Add	able Query -> Design View -> Filter Configure the Logical Column Add Edit Remove	able Query -> Design View -> Filter Configure the filters for the selecte Logical Column Operator	able Query -> Design View -> Filter Configure the filters for the selected query Logical Column Operator Value				

Table Query ->	> Design \	View -> Filter -> New	-				×
			Add a new	/ filter			
	Tab Tab	ble: ble1					
Logical: None	⊂ Co	lumn:			•	Operator:	•
	Val	ue:					
					Ok	Cancel	

Click on the add button to open the popup where you can select the settings for the filter.

Select the settings for the filter and click on the Ok button to add it to the SQL Query (for example, you want to filter the Query by the ID Column, where values are ">"then 5, select the Operator ">" the Column ID and put the value you want in the text box to add these settings to the filter). The Value text box can't be blank, and for the first Filter for the Query the logical type should be 'None'.

You can click on the Edit button to change the settings of the filter, or on the remove button to delete the selected filter from the SQL Query.

Add group to SQL Query

The user can group the SQL Query by clicking on the Grouping button. The following screen opens, where the user can Add, edit, or remove the Group from the SQL Query. Click on the Add button to open the popup where the user can select the Column to Group by. To Group the Query by a column, the user should have used an aggregation on one of the selected columns, or the SQL query won't work

	Table Query -> Design View -> Group	×	
	Configure the gr	roups for the selected query	
	Aggregation	Column	
*			
	Add	Remove	
		Close	

On this popup the user can select the column to be grouped.

Table Query -> Design View -> Group -> New		x
Add	l a new group	
Table: Table1		
Column: Id	•	
	Ok Cancel	

Add Sort to SQL Query

The user can click on the Sorting button to add a sort to the SQL Query to order it. The order can be Ascending or Descending, for the column configured on the sort screen. Click on the Add button on the Sort Screen to open the popup where the user can select the column that will be used to order the Query.

Select for example the ID Column with an Ascending orientation to order the query by the ID values, from the lower to the highest value.

Table Query -> Design View -> Sort -> New	×
Add a	new sort
Table: Table1	
Column: Id 🗸	Direction: Ascending
	Ok Cancel

Preview Query

The user can click on the Preview button at the Design View Screen to see a table with the preview for the selected Query.

Tab	le Query -> Design \	/iew -> Preview			
		Previ	ew for the select	ed query (up to 100) Columns)
ID	ld	Name	Value	TS	
1	1	Jan	1	1/1/2012 1:00	
2	2	Feb	2	1/1/2012 2:00	
3	3	Mar	3	1/1/2012 3:00	
4	4	Apr	4	1/1/2012 4:00	
5	5	Мау	5	1/1/2012 5:00	
6	6	Jun	6	1/1/2012 6:00	
7	7	Jul	7	1/1/2012 7:00	
8	8	Aug	8	1/1/2012 8:00	
9	9	Set	9	1/1/2012 9:00	
10	10	Oct	10	1/1/2012 10:0	
11	11	Nov	11	1/1/2012 11:0	
12	12	Dec	12	1/2/2012 11:0	
					Close

If the query created is not working the user will see and empty screen and can find the error message at the Output Window on Proface, or receive an error message from the application.

Update SQL

The user can click on the Update SQL button to refresh the SQL Query, if any change made doesn't show on the screen.

SQL Mode

On the SQL Mode the user can input the SQL Query manually on the text box. Check the Show Columns box to show the columns from the tables. After creating the SQL Query you want, the user can click on the Preview button to see the result from the Query.

Table Query -> SQL View			×
		Create a new SQL Query	
Query Name: SQL Query 1 Data Source: Demo Source Available Tables: Demo Source Tables Table1 Table2 Wiews	Show Columns	SQL Query: Select * From Table2 Where ID Between 7 and 25	Preview
		Ok	Cancel

Note: The Application adds the Top 32000 clause to all the Queries, so the user needs to modify the query to use the Top Clause as in the screen below. The maximum number of rows that the user can see is 32000.

Business Intelligence Dashboard Template

Doc. Revision 1.71

Table Query -> SQL View			×
		Create a new SQL Query	
Query Name: SQL Query 1 Data Source: Data Source 1			
Available Tables:	Show Columns	SQL Query.	
G Data Source 1 ⊕- Tables ⊕- Views		Select * from (Select Top 10 * From Invoices) as Tbl	Preview
		Ok	Cancel

Create a new Dashboard

After creating the Data source and the Queries for it, the user can create a Dashboard for those queries. Click on Dashboard at the Tree View, and on the New button to open the following screen:

🖪 Dashboard -> Nev	v			×
		Create a new Dashboard		
Dashboard Nam Dashboard 1	ne:			
Access Level:				
All Users		•		
<<			Honnes Honnes Honnes Honnes	>>
			Dk C	ancel

On this screen the user can select the Dashboard Name and the access level for it (if all users can see this dashboard or only the user that created it) and the number of objects and the way they're distributed on the screen. The dashboard can have up to 4 objects, click on the ">>" or "<<" buttons to change the selected style for the Dashboard. After selecting the settings you want for the dashboard, click on the Ok button to create it, and it'll show on the Tree View. And Open the Dashboard Screen for the created Dashboard.

After creating a new Dashboard the user can add the objects to it. Click on the object at the screen (if there's no object configured for it) or click on the object at the tree view and then click on the Edit button.



Clicking on the Edit button opens the Edit Objects screen where the user can select the Name and Query for this object. After selecting the Query, the user can decide on the object type.

Dashboard Objects -> Edit	x
Edit Dashboard Object	
Object Name: Table Query: None Object Type: Pie chart Pareto ch Example Line chart Table Mone None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None None	art
Ok Cancel	

Select one of the Table Queries created on the Datasources to create an object.

Object Types

Pie Chart

Select the Pie Chart object to create a Pie Chart for the selected Query. The user can decide on the Column for the Labels/Values for the chart and the Pie Chart Skin.

Object Ty	pe:				
۰ 🅭	Pie chart	0	Bar chart	0 📷	Pareto chart
0 🔀	Line chart	0	Table	0 📰	None
Labels:			Values:		
Name		-	Value		•
Skin:					
Flat Color	ed + White Backg	round 🚽			
			Pie Chart		
					Jul
					Aug Sat
					Oct
					Nov
					200
				7	

Bar Chart

Select the Bar Chart object to create a Bar Chart for the selected Query. The user can decide on the Column for the Labels/Values for the chart and the Bar Chart Skin. It's also possible to select [All columns] for the Bar chart. This option will plot all columns from the query into the bar graph, except the one used as label. Note that some columns might be unavailable due to its values.



Pareto Chart

Select the Pareto Chart object to create a Pareto Chart for the selected Query. The user can decide on the Column for the Labels/Values for the chart and the Pareto Chart Skin.



Line Chart

Select the Line Chart object to create a Line Chart for the selected Query. The user can decide on the Column for the X Axis for the chart and if the X Axis is Numeric or Date/Time. If you use a Date/Time Column for X Axis and a Numeric type, or a Numeric Column with Date/Time type, you'll have a Blank Line chart.

Object Type:	
💿 🌛 Pie chart	💿 航 Bar chart 💿 📷 Pareto chart
💿 🔀 Line chart	💿 📰 Table 💿 🖬 None
X Axis:	X Axis Type:
Day	✓ Numeric

Business Intelligence Dashboard Template

Doc. Revision 1.71



Table

Select the Table object to create a Table for the selected Query.

ID	Day	ActualValue
7	7	9
8	8	7
9	9	8
10	10	12
11	11	20
12	12	2
13	13	17
14	14	16
15	15	18
16	16	10
17	17	9
18	18	8

None

Select None to leave the object with a blank screen.



Generate Report

This section describes how the users can Generate Reports, with instructions on how to Save and Print the reports for the selected Dashboard. To access the Report screens, the user have to open one of the dashboards, and then the Report button on the header will be enabled.

Home Screen	Dashboard	Report	Exit Application
	Dashb	oard 1	04/11/2012 08:32:08

Click on the Report button to open the Reports screen, where the user can generate, save, and print reports with the charts from the selected Dashboard.



On the Report Screen the user can see a preview from the report, and the report control buttons.

Report Control

Orientation:

On the orientation box, the user can choose between Portrait and Landscape for the Reports style. Change the orientation in the box and click on generate report to see the report with a different orientation.

Note: The user have to manually select the orientation before printing the report, the orientation on the Report Viewer is just for a preview of the Report.

Repeat Header

The user can check the Repeat Header in each page to generate reports with a Header for every page. If this option is not checked the report will have a Header only in the first page.

Objects per page

The user can choose between 3 options for the number of objects in a reports page. The user can generate reports with only one, two, or four charts on each page. If the dashboard has two objects and the report is set to have four objects on each page the report is shown as the image below (Orientation set to Landscape).



If the dashboard has a table configured in it, the table shows at a new page, so for reports with 4 objects in a page, the first page show 3 objects, and there's a second page for the Table.

Generate Report

After the user selects the number of objects per page, orientation and if there's a header on every page, use the Generate Report button to refresh the report preview with the new configurations.

Save Report

The user can save the report clicking on the Save button. Click on the save button and select the directory where you want to save the report.

Print Report

The user can print the current report clicking on the print button. The users have to manually select the orientation on the print screen, and configure the margin.

Print Preview

Click on the Print Preview button to open the screen where the user can see the report before printing it.

Close

Click on the Close button to close the Report Viewer Screen.

Note: It's possible to change the Logo on the reports by replacing the ReportLogo.jpg file on the Web Folder. The new logo should be named ReportLogo.jpg.

Query variables

On the version 2.0 of the Dashboard Template, it's now possible to create variables in the application to use on a query. The use of those variables will enable the user to modify one query faster, without having to change it directly, and even modify all queries using this variable at the same time.

Menu Panel	4 7 <⇒ ⇒ ==
TestVariables Data Sources Variables DemoDB Dashboards Dashboards 1 - Demo 1 2 - Demo 2 3 - Demo 3	
New	
🥖 Edit	
Delete	

On the Menu Panel, it's possible to access all the variables configured for a Project.

Click on the Variables node and on Edit to open a screen that shows a list of all the project variables. From this screen it's possible to create, edit or delete a variable.

If you select a variable directly from the Dashboard where it is used in the Menu Panel, you can edit its value, and the dashboards will be updated with the new values from this variable.

It's important to note that the variable names can't have any special character like * / [] @ or spaces in it.

Configuring variables

To create or edit variables, open the screen below selecting the Variables node from the Menu Panel and clicking on Edit, then select the variable desired.

ject Variables			Morris	
Add or Edit Project Variables				
Name		Туре	Value	
DateStart	3		1/1/2012 04:00:00	
DateEnd	3		1/1/2012 6:00:00	
	Add	Ed	lit Delete	Close

Create a new variable

By clicking on the Add button, you can create a new variable in your project. As in the screen below, you should configure a name, a type and a default value for the variable being created. There are two kinds of variables, the first one have a fixed value, and its value is modified manually by the user. The second one is updated automatically, based on the default value.

It's possible to select one of the variable types below:

Integer

Configure the variable to have an integer value that will be replaced in all the queries from the project using this variable. This variable value should be updated manually.

Real

Configure the variable to have a real value that will be replaced in all the queries from the project using this variable. This variable value should be updated manually.

Note: The current version of the BI Dashboard doesn't validate the decimal separator, so you should create the variable with a separator compatible to the database and local settings.

String

The string variable can be used as a normal string, or to create valid expressions with different variables. When creating an expression, you can variables with their name between {} as {Variable 1} * {Variable 2} Note that there's no validation when creating an expression, so if an invalid expression is created, it'll result in an error when executing the query.

Date/Time

Configure the variable to have a valid Datetime/Date/Time value that will be replaced in all the queries. Valid values for this variable are: Date: 01/01/2012 Time: 10:00:00 Datetime: 01/01/2012 10:00:00

This variable value should be updated manually.

Tag Name

Configure the variable to use the value of a tag on the queries. When selecting this type, you need to use the name of a valid tag as the default value, and when a dashboard is opened, this variable will be replaced by the value of the tag. This variable is updated automatically, its value updated based on the tag selected.

Current Time

Configure the variable to use the current time as a value on the queries. This variable is updated automatically, its value updated based on the time.

It's not possible to modify the default value for this variable.

Current Date

Configure the variable to use the current date as a value on the queries. This variable is updated automatically, its value updated based on the date.

It's not possible to modify the default value for this variable.

Current Day

Configure the variable to use the current day as a value on the queries. This variable is updated automatically, its value updated based on the day.

It's not possible to modify the default value for this variable.

Current Year

Configure the variable to use the current year as a value on the queries. This variable is updated automatically, its value updated based on the year.

It's not possible to modify the default value for this variable.

Current Month

Configure the variable to use the current month as a value on the queries. This variable is updated automatically, its value updated based on the month.

It's not possible to modify the default value for this variable.

×
Create a new Variable
Variable name Variable name Variable type Integer Default value 1
Save Cancel

Edit a variable

By clicking on the Edit button, you can edit a variable from the project, modifying its value, type and name. If you change the name of the variable, it is automatically replaced on the queries from the project, to avoid problems with the queries.

Delete a variable

By clicking on the Delete button, you can delete a variable from the project. If you delete a variable used in a query, you'll need to update the query manually, or you'll have an error on it.

Notes

Please note that the dashboards are not updated automatically if the value from any dynamic variable is modified. It's necessary to open the dashboard again to update it.

The variable name have a limit of 19 characters.

The default value of the variable have a limit of 20 characters, so it's the size limit for an expression created using the string type.

Querying with variables

The variables created on the project can be selected when creating a filter on the Query Design Mode, or manually inserted in the SQL Mode.

Design Mode

When creating a filter in the Design Mode, click on the <u>button</u> button on the screen below to open the variable selection screen.

Select one of the variables from the list and click on Ok to use it on the filter. Note that if you used a variable with a type not allowed for the column you're creating the filter, your query will not work and return an error if you click on Preview.

-	Table Query -> Design View -> Filter -> Edit	×
	Select a variable for the filter	
	Variable name	
	DateEnd	
	DateStart	
	Num1	
	Num2	
	Sum	
	Ok	ancel
l		

A variable selected on a filter, will appear on the Value field as on the image below. If you already know a variable name, you can add it to the filter by writing its name between {}.

🖪 Table Query	/ -> De	sign View -> Filter -> Edit	×
		Add a new filter	
		Table: Table1	
Logical:		Column:	Operator.
And	•	ld -	<
		Value: {Num1}	
		Ok	Cancel

SQL Mode

When creating a query on the SQL Mode, it's possible to use a variable writing its name between {} on the query, and when the query is used the variable will be replaced by the correct value.

SQL Query.

Select	*	from Table1	Where T	S <#/DateStart}# Or TS > #/DateEnd}#	Ł
Ocider		nonn rabie i	whiche i	o subaccounds of to subacchals	
					Denviruu
					Preview

Chart edition

On the latest version of the Dashboard Template (v2.2), it's now possible to edit the values of the variables used in a chart query, refresh the chart and also select which columns will be available for some of the charts, directly from the dashboard screen.

The list of columns visible is configured based on the current user, so different users can access the same dashboard and the result for the charts may be different based on the user preferences. With the refresh option available, the user no longer needs to close the dashboard and open it again to update the results.



Note: It's also possible to reload all the charts automatically, by changing the value of the tag ReloadAllCharts.

Refresh

With the refresh button, the user can update the selected chart to show the current values, if there were any changes in the query or results expected. There's also a new refresh button on the menu panel, available when a dashboard is selected, that will work on all the charts opened.

Customize Columns

With the option to customize columns, the user can now modify the resulting chart by opting to hide some of the columns. This option is available for the line chart, table and bar chart (only when the option to use All columns was checked).

On the right side the user can verify all the columns that are visible in the chart, and on the left side all the columns that are hidden and available, so that it's possible to add them to the chart

Note: Some of the columns available might not be used, based on the chart object type.

Cus	stomize colum	nns		×
Custom	nize object co	lumns		
Available columns		Visib	le columns	
Id		Name		
		Value		_
		TS		
	>			
	<			
		Save	Cancel	

Edit variables

The last option available is to edit the variables used in the query for the selected chart. By clicking on the button, a screen with a combo box with all the variables used in the query will be opened, and the user can then modify the default value for each variable.

	Edit variables				
Edit variables					
V In V In D	ariable name nt2 v ariable type nteger v vefault value				
	Save Cancel				

Export to CSV

When exporting the chart data to a CSV file, the screen below is opened, where the user select the name for the file that will be created. After the file is exported, the Open button is enabled so the user can visualize the exported data. It's also possible to open an old report file, by entering its name and clicking on Open.

Dashboa	ard -> Export to CSV		×
Export dashboard object None to CSV			
Report file name			
	Export	Open	
		Cancel	

Application Notes

This section contains important notes about the application.

- The user need the .Net Framework 3.5 + SP1 installed on the computer, so the .Net objects work successfully.
- The users have to configure the margin before printing a Report.
- The application has a limit of 32000 points, and the clause TOP is included in the Query. The user should not use the TOP clause on a query.
- The Order By clause should not be used on Line Charts, or the trend can end up with multiple values on the same point.
- When executing the application on the Web, with the default path not directed to the Web folder, the Tag AuxServer.URL should be modified to point to the correct path, or some of the icons will not be available.